



Display

Screen Type	Monitor LG LED Ultra High Definition with Tempered Glass
Display Area	1428(H) × 804(V)
Resolution	3840*2160
Brightness	500 cd/m ² (Typ.)
Contrast	5000:1
Response Time	2ms
Number of Color	10 bit - 1.07B
View Angle	± 178°
Service Life	50,000 Hrs.

Touch System

Sensing Type	Infrared
Multi-touch	24 points
Response Time	< 4ms
Response Area	> ø5.0mm
Output Coordinate	4096×4096
Communication Mode	Full-speed USB (driver free)
Life Time	> 60,000,000 single point touch
Surface	Tempered glass(Thickness: 4mm)

PC Module

Picture	
----------------	--

Type	Detachable PC module OPS Design
Processor	Intel i5 (desktop solution)
Graphics	Integrated
Sound Card	Integrated HD Audio
Networking	Integrated 10\100\1000M
Memory	16G (Option 32GB)
Hard Drive	SSD 256 (Option 1TB)
USB	4
Microphone In	1
Earphone Out	1
LAN Port(RJ45)	1
VGA Out	1
HDMI Out	1
Wireless Antenna	2
Android System	
Chipset	ARM CORTEX-A53 1.5GHz QUADCORE
GPU	MALI—720MP2
SYSTEM	Android 8.0
ROM	1.5G DDR4
RAM	8G(support TF card)
Mirror Cast	Yes
Display Connectors	
Composite Video Input	1
Component Video (Y/Pb/Pr) Input	1
S-Video (4pin DIN)	1
VGA Input (15pin D-Sub)	1
PC-Audio Input	1
HDMI Connection	3
Digital Audio Output	1
Audio Output	1
USB In	2
USB Touch In	1
Power Amplify	15W*2
Power	
Power Requirements	100V-240V AC 50/60HZ
Overall Power Consumption	<150W
Standby Power Consumption	<0.5W
Accessories	
AC Power Cable*1 Remote Control*1	Pen*2 AV Cable*1
Ambient Conditions	
Operation Temperature	-10 °C ~ 50 °C

Operation Humidity	10% ~ 85% RH, non-condensing
Storage Temperature	-20 °C ~ 60 °C
Storage Humidity	10% ~ 90% RH, non-condensing
Dimensions	
Net (W×D×H)/mm	1469x887x63
Gross (W×D×H)/mm	1585x1050x180
Net Weight/kg	42
Gross Weight/kg	46